

HOTONE

NANO LEGACY Series

Amplifier Head

Mojo Diamond

Owner's Manual

THANK YOU FOR PURCHASING A HOTONE PRODUCT!

※ *In the interest of product improvement, the specifications and/or the content of products (including but not limited to appearances, packaging design, manual content, accessories, size, parameters and display screen), are subject to change without prior notice. Please check with local supplier for exact offers. Specifications and features (including but not limited to appearances, colors and size) may vary by model owing to environmental factors, and all images are illustrative.*

www.hotoneaudio.com




Front
Panel

Mojo Diamond
HOTONE

1. INPUT: 1/4" mono jack to plug in your guitar.
2. GAIN: Controls the gain level.
3. BASS: Controls the low frequency response.
4. MIDDLE: Controls the mid frequency response.
5. TREBLE: Controls the high frequency response.
6. VOLUME: Controls the output volume.

Rear Panel



- 1 18V DC:**
Plug in 18V DC adapter (center negative).
- 2 PHONES/LINE OUTPUT:**
1/8" stereo jack, for using headphones or recording.
- 3 AUX IN:**
1/8" stereo jack, for connecting an external music player.
- 4 FX LOOP SEND:**
1/4" mono jack, connect to your effects input jack.
(The Effects Loop is a patch point between the pre-amp and power amp).
- 5 FX LOOP RETURN:**
1/4" mono jack, connect to your effects output jack.
- 6 SPEAKER OUTPUT:**
1/4" mono jack, connect to your cabinet (speaker 4-16 Ω).

NANO LEGACY Series Amplifier Head

Mojo Diamond is a 5W Class AB Guitar Amplifier Head

Features

- Sound based on legendary Fender Tweed*
- Extremely compact configuration for portability
- High quality tone with Volume and Gain controls
- 3 Band EQ controls for shaping your tone
- FX LOOP for using external effects
- Compatible with cabinets of different impedances ranging from 4-16 Ω
- Headphone/line output jack is very convenient for practicing and recording
- Aux in jack can let you play with the external music player

* Fender Tweed is an amplifier model of Fender Musical Instruments Corporation. The mentioned manufacturer and product names are trademarks or registered trademarks of their respective owners. The trademarks were used merely to identify the sound character of this product.

Specifications

Power Output: 5 Watts

Dimensions: 128 mm(W) \times 75 mm(D) \times 59.5 mm(H)

Weight: 520 g

www.hotoneaudio.com