HUITHE

Purple Wind




Front Panel

Purple Wind

HOTONE

- 1. INPUT: 1/4" mono jack to plug in your guitar.
- 2. BASS: Controls the low frequency response.
- 3. MIDDLE: Controls the mid frequency response.
- 4. TREBLE: Controls the high frequency response.
- 5. GAIN: Controls the gain level.
- 6. VOLUME: Controls the output volume.

Rear Panel



- 18V DC: Plug in 18V DC adapter (center negative).
- PHONES/LINE OUTPUT: 1/8" stereo jack, for using headphones or recording.
- AUX IN:
 1/8" stereo jack, for connecting an external music player.
- FX LOOP SEND:
- 1/4" mono jack, connect to your effects input jack. (The Effects Loop is a patch point between the pre-amp and power amp).
- FX LOOP RETURN:

 1/4" mono jack, connect to your effects output jack.
- SPEAKER OUTPUT:
 1/4" mono jack, connect to your cabinet (speaker 4-16 Ω).

NANO LEGACY Series Amplifier Head

Purple Wind is a 5W Class AB Guitar Amplifier Head

Feature

- Sound based on legendary Marshall Plexi SuperLead 1959 (Limited Edition)*
- High quality topo with Volume and Gain contr.
- High quality tone with Volume and Gain contr
- FX LOOP for using external effects
- Compatible with cabinets of different impedances ranging from 4-16 Ω
- Headphone/line output jack is very convenient for practicing and recordin
 Aux in lack can let you play with the external music player
- Marshall Flext Super Lead 1959 is an amplifier model of Marshall Amplification ptc.. The mentioned
 manufacturer and product names are trademarks or registered trademarks of their respective owners.
 The trademarks were used merely to identify the sound character of this product.

Specifications

Power Output: 5 Watt

Dimensions: 128 mm(W) \times 75 mm(I

ww.hotoneaudio.com

Weight: 520 g