NANO LEGACY Series Amplifier Head



Owner's Manual

THANK YOU FOR PURCHASING A HOTONE PRODUCT!

× In the interest of product improvement, the specifications and/or the content of products (including but not limited to appearances, packaging design, manual content accessories, size, parameters and display screen), are subject to change without prior notice. Please check with local supplier for exact offers. Specifications and features (including but not limited to appearances, colors and size) may vary by model owing to

www.hotoneaudio.com



Thunder Bass HOTONE

INPUT: 1/4" mono jack to plug in your guitar.
BASS: Controls the low frequency response.
MIDDLE: Controls the mid frequency response.

- 4. TREBLE: Controls the high frequency response.
- 5. GAIN: Controls the gain level.

6. VOLUME: Controls the output volume.

Rear Panel



18V DC: Plug in 18V DC adapter (center negative).

2 PHONES/LINE OUTPUT: 1/8" stereo jack, for using headphones or recording.



AUX IN: 1/8" stereo iack, for connecting an external music player.



FX LOOP SEND:

1/4" mono jack, connect to your effects input jack. (The Effects Loop is a patch point between the pre-amp and power amp).

FX LOOP RETURN:

1/4" mono iack, connect to your effects output jack.

SPEAKER OUTPUT:

1/4" mono jack, connect to your cabinet(speaker 4-16 0).

NAN C LEGACY Series Amplifier Head

Thunder Bass is a 5W Class AB Guitar Amplifier Head

Features

Sound inspired by the legendary Ampeg SVT*
Extremely compact configuration for portability
High quality tone with Volume and Gain controls
3 Band EQ controls for shaping your tone
FX LOOP for using external effects
Compatible with cabinets of different impedances ranging from 4-16 Ω
Headphone output jack is very convenient for practicing and recording
Aux in jack can let you play with an external music player

* Ampeg SVT is an amplifier model of LOUD Technologies Icn. The mentioned manufacturer and product names are trademarks or registered trademarks of the respective owners. The trademarks were used merely to identify the sound character of this product.

Specifications Power Output: 5 Watts Dimensions: 128 mm(W) \times 75 mm(D) \times 59.5 mm(H) Weight: 520 g

www.hotoneaudio.com